

brushfirebattlesystems.com  
(626) 410-7101  
info@brushfirebattlesystems.com



FIRE PUMPS  
FIRE SPRINKLERS  
CUSTOM SYSTEMS  
FIRE HOSE  
FIRE NOZZLES  
WYES & VALVES  
HYDRANTS  
FIREBOZZ




## FIRE EQUIPMENT 2023



PRICES VALID FROM MARCH 1 - AUGUST 30, 2023 | PRICES SUBJECT TO CHANGE WITHOUT NOTICE

# FIRE PUMP EQUIPMENT



## WATER TENDER SINGLE HOSE OUTPUT POOL FIRE PUMP

### STANDARD FEATURES

- HONDA GX160 engine
- 94 PSI high-pressure water pump
- 126 gallons per minute output
- 17-foot American-made suction hose with strainer
- Integrated wheels and handle
- 50-foot single jacket American-made fire hose
- Polycarbonate adjustable nozzle
- 2 hour run time
- Full synthetic 10/30 motor oil

### Optional Accessories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Gated or non-gated wye for two hose output
- Fire sprinkler
- All-weather cover
- Electric start with battery, charger and case

**\$2,255.00**



## FIRE TRUCK 1.0 DUAL HOSE OUTPUT POOL FIRE PUMP

### STANDARD FEATURES

- HONDA GX160 engine
- 94 PSI high-pressure water pump
- 126 gallon per minute output
- 17-foot American-made suction hose with strainer
- 2 1/2-inch fire hydrant thread
- American-made Red Head Brass gated wye valve with 1 1/2-inch National Hose threads
- 2 50-foot single jacket American-made fire hoses
- 2 polycarbonate adjustable nozzles
- 2 hour run time
- Full synthetic 10/30 motor oil

### Optional Accessories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case

**\$2,795.00**



## FIRE TRUCK 2.0 DUAL HOSE OUTPUT POOL FIRE PUMP WITH HOSE STORAGE BOX

### STANDARD FEATURES

- HONDA GX160 engine
- 94 PSI high-pressure water pump
- 126 gallon per minute output
- 17-foot American-made suction hose with strainer
- 2 1/2-inch fire hydrant thread
- American-made Red Head Brass gated wye valve with 1 1/2-inch National Hose threads
- 2 50-foot single jacket American-made fire hoses
- 2 polycarbonate adjustable nozzles
- 2 hour run time
- Full synthetic 10/30 motor oil

### Optional Accessories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire Sprinklers
- All-weather cover
- Electric start with battery, charger and case

**\$3,375.00**

# FIRE PUMP EQUIPMENT



## SINGLE HOSE WILDFIRE DEFENSE CART

### STANDARD FEATURES

- HONDA GX200 engine
- 85 PSI high-pressure water pump
- 126 gallons per minute output
- 17-foot American-made suction hose with strainer
- 20-inch wheels for easy maneuverability
- 50-foot single jacket American-made fire hose
- Standard California hose thread (NH/NST)
- 2 hour run time
- Full synthetic 10/30 motor oil
- Custom rubber feet

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Gated or non-gated wye for two hose output
- Fire sprinkler
- All-weather cover
- Electric start with battery, charger and case

**\$2,375.00**



## DUAL HOSE WILDFIRE DEFENSE CART

### STANDARD FEATURES

- HONDA GX200 engine
- 85 PSI high-pressure water pump
- 126 gallon per minute output
- 17-foot American-made suction hose with strainer
- 2 1/2-inch fire hydrant thread
- American-made Red Head Brass gated wye valve with 1 1/2-inch National Hose threads
- 2 50-foot single jacket American-made fire hoses
- 2 polycarbonate adjustable nozzles
- 2 hour run time
- Full synthetic 10/30 motor oil
- Custom rubber feet

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case

**\$2,975.00**

## 3 HOSE WILDFIRE DEFENSE SKID

### STANDARD FEATURES

- HONDA GX200 engine
- 110 PSI high-pressure water pump
- 85 gallons per minute output
- 17-foot California-made suction hose with strainer
- Easy carry handles
- 1 100-foot single jacket California-made fire hose
- 2 50-foot 1-inch single jacket California-made fire hose
- Standard California hose thread (NH/NST)
- 2 hour run time
- Full synthetic 10/30 motor oil
- Rubber feet to prevent damage to pool decks
- One 1 1/2" output and (2) 1" output
- American-made aluminum brush nozzles
- 1 1/2-inch 20/60 brush nozzle and 2 1-inch 10/30 brush nozzles.

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Gated or non-gated wye for two 1 1/2-inch fire hose or sprinkler output
- Fire sprinkler
- All-weather cover
- 1-inch single jacket fire hose
- 1 1/2-inch single jacket fire hose
- Steel wagon

**\$3,150.00**



# FIRE PUMP EQUIPMENT

## ENGINE 51



### STANDARD FEATURES

- Honda GX160 5hp engine
- Maximum 115 psi
- Two-stage Precision Cast Aluminum Impellers
- 17-foot California-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 2 50-foot fire hoses with nozzles
- 1 100-foot fire hose
- Wheel kit with handles
- 10/30 full synthetic motor oil

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case
- Extended run time 6-gallon gas tank \$300

**\$3,425.00**

## ENGINE 81



### STANDARD FEATURES

- Honda GX270 9 hp engine
- Maximum 140 psi
- Two-stage Precision Cast Aluminum impellers
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hose or sprinkler output
- 2 50-foot fire hoses with nozzles
- 1 100-foot fire hose
- Wheel kit with handles
- 17-foot suction hose with strainer
- 10/30 full synthetic motor oil

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case

**\$4,850.00**



## ENGINE 91

- Electric start Honda GX390 13 hp engine
- 155 gpm, >130 psi
- Same standard features as Engine 81
- Shown with 12-gallon extended run gas tank (add \$500)

**\$5,875.00**

# FIRE PUMP EQUIPMENT

## BRUSH TRUCK 1



### STANDARD FEATURES

- Honda GX390 13hp engine
- Electric start with Lithium-ion 12-volt battery and charger
- Maximum 100 psi
- 200 gallons per minute output
- High performance pump with 2 1/2" input and output ports
- Built-in Pressure Gauge
- 17-foot California-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 3 100-foot fire hose
- 2 20/60 S & H aluminum brush nozzles
- Wheel kit with handles
- Hand Primer pump
- 10/30 full synthetic motor oil
- 2.5 hour run time on full tank

**\$6,975.00**

## BRUSH TRUCK 2



### STANDARD FEATURES

- Honda GX690 23hp engine
- Electric start with Lithium-ion 12-volt battery and charger
- Maximum 165 psi
- 270 gallons per minute output
- High performance pump with 2 1/2" input and output ports
- Built-in Pressure Gauge
- 17-foot California-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 4 100-foot fire hose
- 2 20/60 S & H aluminum brush nozzles
- Wheel kit with handles
- Fire Sprinkler
- Hand Primer pump
- 10/30 full synthetic motor oil
- 10.5 hour run time on full tank

**\$13,650.00**

### Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Break apart valve for brush nozzles
- Fire hose water thief valve for 1-inch fire hose use
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover

# S & H PRODUCTS

- DUAL RANGE NOZZLES** • 1-inch aluminum brush nozzle with bumper  
**1-INCH AND 1 1/2-INCH** • 10 or 30 gallons per minute output  
 • Fog or stream settings



- 1 1/2-inch aluminum brush nozzle with bumper
- 20 or 60 gallon per minute output
- Fog or stream settings
- Both come with standard NH/NST threads compatible with California fire departments

**1-inch \$125**

**1 1/2-inch \$140**

## WYE VALVES



- Available in two sizes
- 1 1/2-inch NH input X (2) 1 1/2-inch output
- 1 1/2-inch NH input X (2) 1-inch output
- Light-weight aluminum
- Coated and uncoated available

**1-inch \$405**

**1 1/2-inch \$425**

## SPANNER WRENCH



- Single sided spanner wrench
- Double sided spanner wrench
- Designed to tighten fire hose fittings
- Light-weight aluminum
- Coated and uncoated available

**Single \$29 Double \$37**

## HOSE LINE T VALVE



- 1 1/2-inch fire hose T valve with NH/NST threads
- 1-inch side output with NH/NST threads
- Coated and uncoated available

**\$145**

## MOP UP NOZZLE



- 3/4-inch GHT
- 4 GPM spray, 8 GPM straight stream
- Made in U.S.A.
- All brass construction

**\$39**



## BREAK-APART ATTACK NOZZLE



- Break-apart Attack Nozzle with NH/NST threads
- Available in 1-inch and 1 1/2-inch configurations
- Dual flow 20/60 gpm fog or stream nozzle
- Ball valve shutoff with handle
- Pistol grip for easy operation
- Light-weight aluminum
- Ball valve is compatible with a wide range of nozzles

**\$410**

# FIRE SPRINKLERS and FIREBOZZ MINI



## 1 1/2-INCH RANGER FIRE SPRINKLER

- Easy folding legs for quick setup and storage
- Lightweight
- Aluminum riser with all stainless cam locks
- Variable nozzle output
- 140 to 220 foot diameter water coverage
- Capable of 26 to 110 gpm
- Good high wind performance
- Industry leading Austrian sprinkler head
- 1 1/2-inch female fire hose fitting on bottom
- Stainless steel ball valve to control flow
- 25-pound circular sandbag for stability
- Can be placed on any flat surface

**\$985.00**

## 1 1/4-INCH SMALL FIRE SPRINKLER



- Easy folding legs for quick setup and storage
- Galvanized steel riser with aluminum or optional stainless steel cam locks
- Variable nozzle output
- 140 to 220 foot diameter water coverage
- Capable of 26 to 110 gpm
- Good high wind performance
- 1 1/2-inch female fire hose fitting on bottom
- Stainless steel ball valve to control flow
- 25-pound circular sandbag for stability
- Giant spikes to firmly hold in place

**\$895.00**

- Easy folding legs for quick setup and storage
- Galvanized steel riser with aluminum or optional stainless steel cam locks
- Variable nozzle output
- 140 to 190 foot diameter water coverage
- Capable of 26 to 82 gpm
- Good high wind performance
- 1 1/2-inch female fire hose fitting on bottom
- Stainless steel ball valve to control flow
- 25-pound circular sandbag for stability
- Giant spikes to firmly hold in place

**\$795.00**

## FIREBOZZ MINI



- Quick and easy setup anywhere
- Covers over 185-foot circle
- Capable of 28 to 88 gpm
- Good high wind performance
- Ball valve with 1 1/2-inch NH threads
- Only weighs 24 pounds
- Easy to store
- Can be placed on any flat surface

**\$2,449.00**

## 1 1/2-INCH LARGE FIRE SPRINKLER



Picture taken at Topanga Canyon installation. Three sprinkler system.

## RAIN TOWER



- Standard garden hose thread
- 50-foot 3/4-inch mop up hose
- Water thief for connection to fire hose
- 100-foot circle coverage
- 11 gallon per minute output
- Sandbag included for stability
- Easy to store and setup

**\$379.00**

# FIRE HOSE, ADAPTORS, HAINEY HYDRANT



## 1 1/2-inch single jacket fire hose

- California-made
- NH/NST threads
- Compatible with all fire agencies

**\$155.00 50-foot**  
**\$195.00 75-foot**  
**\$255.00 100-foot**



## 1 1/2-inch Wildland fire hose

- USA-made single jacket fire hose
- NH/NST threads
- Compatible with all fire agencies
- Designed for extreme water pressure
- 100-foot length

**\$290.00**



## 1-inch single jacket fire hose

- California-made
- NH/NST threads
- Compatible with all fire agencies

**\$160.00**



## Adaptors and Fittings

- Various aluminum and brass fittings in stock.



## 1 1/2-inch Hainey Hydrant

- Custom home fire hydrant
- Stainless steel valve and fittings
- 1 1/2-inch fire hydrant threads
- Gated wye valve
- 200-feet of fire hose
- Aluminum brush nozzles - 10/30 gpm or 20/60 gpm

**Starting at \$1,325.00**



Fire Truck 1.0 in Calistoga, California



# BRUSHFIRE BATTLE SYSTEMS

Contact us at (626) 410-7101. Email: [info@brushfirebattlesystems.com](mailto:info@brushfirebattlesystems.com)  
Most products in stock for immediate delivery. Call today for a demonstration.

## CUSTOM WILDFIRE DEFENSE EQUIPMENT