

brushfirebattlesystems.com
(626) 410-7101
info@brushfirebattlesystems.com



FIRE PUMPS
FIRE SPRINKLERS
CUSTOM SYSTEMS
FIRE HOSE
FIRE NOZZLES
WYES & VALVES
HYDRANTS
FIREBOZZ
AUTONOMOUS
SYSTEMS



FIRE EQUIPMENT 2025



PRICES VALID FROM JANUARY 1 – JUNE 30, 2025 | PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FIRE PUMP EQUIPMENT



WATER TENDER SINGLE HOSE OUTPUT POOL FIRE PUMP

STANDARD FEATURES

- HONDA GX200 engine
- 94 PSI high-pressure water pump
- 126 gallons per minute output
- 13-foot American-made suction hose with strainer
- Custom wheel kit and handle
- 1 1/2" 50-foot single jacket American-made fire hose
- Polycarbonate adjustable nozzle
- 2 hour run time
- Full synthetic 10/30 motor oil

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Gated or non-gated wye for two hose output
- Fire sprinkler
- All-weather cover
- Custom configurations available

\$2,195.00



FIRE TRUCK 1.0 DUAL HOSE OUTPUT POOL FIRE PUMP


STANDARD FEATURES

- HONDA GX160 engine
- 94 PSI high-pressure water pump
- 126 gallon per minute output
- 13--foot American-made suction hose with strainer
- 2 1/2-inch fire hydrant thread
- American-made Red Head Brass gated wye valve with 1 1/2-inch National Hose threads
- 2 50-foot single jacket American-made fire hoses
- 2 polycarbonate adjustable nozzles
- 2 hour run time
- Full synthetic 10/30 motor oil

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case

\$3,195.00



EMBER MESH - DIY YOUR VENTS

STAINLESS STEEL EMBER MESH

- Fine mess stainless steel mesh
- 0.045 0.045 inch square holes
- Excellent ember blocking mesh
- Stainless 304
- Sold in 4 foot by 4 foot sections
- You can order any amount in 4 foot segments
- \$90.00 per 16 square feet

\$90.00

FIRE PUMP EQUIPMENT



SINGLE HOSE WILDFIRE DEFENSE CART

STANDARD FEATURES

- HONDA GX200 engine
- 94-PSI high-pressure water pump
- 126 gallons per minute output
- 13-foot suction hose with strainer
- 20-inch wheels for easy maneuverability
- 50-foot single jacket American-made fire hose with nozzle
- Standard California hose thread (NH/NST)
- 2 hour run time
- Full synthetic 10/30 motor oil
- Custom rubber feet

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Gated or non-gated wye for two hose output
- Fire sprinkler
- All-weather cover
- Electric start with battery, charger and case

\$2,345.00



DUAL HOSE WILDFIRE DEFENSE CART

STANDARD FEATURES

- HONDA GX200 engine
- 85 PSI high-pressure water pump
- 126 gallon per minute output
- 13-foot suction hose with strainer
- 2 1/2-inch fire hydrant thread
- American-made Red Head Brass gated wye valve with 1 1/2-inch National Hose threads
- 2 50-foot single jacket American-made fire hoses
- 2 polycarbonate adjustable nozzles
- 2 hour run time
- Full synthetic 10/30 motor oil
- Custom rubber feet

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case

\$3,175.00



2 HOSE WILDFIRE DEFENSE SKID

STANDARD FEATURES

- HONDA GX200 engine
- 110 PSI high-pressure water pump
- 85 gallons per minute output
- 13-foot California-made suction hose with strainer
- Easy carry handles
- 1 1/2-inch 50-foot single jacket fire hose
- 1 50-foot 1-inch single jacket California-made fire hose
- Standard California hose thread (NH/NST)
- 2 hour run time
- Full synthetic 10/30 motor oil (no oil in UPS orders)
- Rubber feet to prevent damage to pool decks
- One 1 1/2" output and 1 1" output
- 1 1 1/2-inch red poly nozzle and one 1-inch 10/30 aluminum brush nozzle.

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Gated or non-gated wye for two 1 1/2-inch fire hose or sprinkler output
- Fire sprinkler
- All-weather cover
- 1-inch single jacket fire hose
- 1 1/2-inch single jacket fire hose
- Steel wagon

\$2,250.00

FIRE PUMP EQUIPMENT

ENGINE 51



STANDARD FEATURES

- Honda GX200 6.5 hp engine
- Maximum 115 psi, 130 gpm
- Single-stage Precision Cast Aluminum Impeller
- 13-foot CA-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 2 50-foot fire hoses with nozzles
- Wheel kit with handles
- 10/30 full synthetic motor oil

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- Electric start with battery, charger and case
- Extended run time 6-gallon gas tank \$300

\$3,495.00

ENGINE 81



STANDARD FEATURES

- Honda GX270 9 hp engine
- Maximum 140 psi
- Two-stage Precision Cast Aluminum impellers
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hose or sprinkler output
- 2 50-foot fire hoses with nozzles
- 1 100-foot fire hose
- Wheel kit with handles
- 13-foot suction hose with strainer and one way valve
- 10/30 full synthetic motor oil

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Aluminum 20/60 gpm brush nozzle
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover
- 12-gallon extended run gas tank
- No electric start option

\$4,650.00



ENGINE 91

- Standard electric start Honda GX390 engine
- 13 hp Honda GX390
- 160 gpm, >130 psi
- Same standard features as Engine 81
- Shown with 12-gallon extended run gas tank (add \$600)

\$6,150.00

FIRE PUMP EQUIPMENT

BRUSH TRUCK 1



STANDARD FEATURES

- Honda GX390 13 hp engine
- Electric start with Lithium-ion 12-volt battery and charger
- Maximum 100 psi
- 200 gallons per minute output
- High performance pump with 2 1/2" input and output ports
- Built-in Pressure Gauge
- 17-foot California-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 3 100-foot fire hose
- 2 20/60 S & H aluminum brush nozzles
- Wheel kit with handles
- Hand Primer pump
- 10/30 full synthetic motor oil
- 2.5 hour run time on full tank

\$7,275.00

BRUSH TRUCK 2



STANDARD FEATURES

- Honda GX690 23 hp engine
- Electric start with Lithium-ion 12-volt battery and charger
- Maximum 165 psi
- 270 gallons per minute output
- High performance pump with 2 1/2" input and output ports
- Built-in Pressure Gauge
- 17-foot California-made suction hose
- 2 1/2-inch Fire hydrant threads
- Gated wye for two hoses or sprinklers
- 4 100-foot fire hose
- 2 20/60 S & H aluminum brush nozzles
- Wheel kit with handles
- Fire Sprinkler
- Hand Primer pump
- 10/30 full synthetic motor oil
- 10.5 hour run time on full tank

\$13,975.00

Optional Accesories

- 50, 75 or 100-foot California-made fire hose
- Break apart valve for brush nozzles
- Fire hose water thief valve for 1-inch fire hose use
- Non-gated wye for sprinklers or third hose
- Fire sprinklers
- All-weather cover

S & H PRODUCTS

- DUAL RANGE NOZZLES**
- 1-inch aluminum brush nozzle with bumper
 - 10 or 30 gallons per minute output
 - Fog or stream settings



- 1 1/2-inch aluminum brush nozzle with bumper
- 20 or 60 gallon per minute output
- Fog or stream settings
- Both come with standard NH/NST threads compatible with California fire departments

1-inch \$135

1 1/2-inch \$140

WYE VALVES



- Available in two sizes
- 1 1/2-inch NH input X (2) 1 1/2-inch output
- 1 1/2-inch NH input X (2) 1-inch output
- Light-weight aluminum
- Coated and uncoated available

1-inch \$425

1 1/2-inch \$425

1 1/2-inch no gate \$150

SPANNER WRENCH



- Single sided spanner wrench
- Double sided spanner wrench
- Designed to tighten fire hose fittings
- Light-weight aluminum
- Coated and uncoated available

Single \$35 Double \$39

HOSE LINE T VALVE



- 1 1/2-inch fire hose T valve with NH/NST threads
- 1-inch side output with NH/NST threads
- Coated and uncoated available

\$155

MOP UP NOZZLE



- 3/4-inch GHT
- 4 GPM spray, 8 GPM straight stream
- Made in U.S.A.
- All brass construction

\$39



BREAK-APART ATTACK NOZZLE



- Break-apart Attack Nozzle with NH/NST threads
- Available in 1-inch and 1 1/2-inch configurations
- Dual flow 20/60 gpm fog or stream nozzle
- Ball valve shutoff with handle
- Pistol grip for easy operation
- Light-weight aluminum
- Ball valve is compatible with a wide range of nozzles

\$460

FIRE SPRINKLERS and FIREBOZZ MINI



1 1/2-INCH RANGER FIRE SPRINKLER

- Easy folding legs for quick setup and storage
- Lightweight
- Aluminum riser with aluminum cam locks
- Variable nozzle output
- 140 to 220 foot diameter water coverage
- Capable of 26 to 100 gpm
- Good high wind performance
- Choice of two different sprinkler heads
- 1 1/2-inch female fire hose fitting on bottom
- Stainless steel ball valve to control flow
- 25-pound circular sandbag for stability
- Can be placed on any flat surface

\$950.00

1 1/4-INCH SMALL FIRE SPRINKLER



- Easy folding legs for quick setup and storage
- Galvanized steel riser with aluminum or optional stainless steel cam locks
- Variable nozzle output
- 140 to 190 foot diameter water coverage
- Capable of 26 to 82 gpm
- Good high wind performance
- 1 1/2-inch female fire hose fitting on bottom
- Stainless steel ball valve to control flow
- 25-pound circular sandbag for stability
- Giant spikes to firmly hold in place

\$750.00

Picture taken at Forestville installation. Three sprinkler system.

- Quick and easy setup anywhere
- Covers over 185-foot circle
- Capable of 28 to 88 gpm
- Good high wind performance
- Ball valve with 1 1/2-inch NH threads
- Only weighs 24 pounds
- Easy to store
- Can be placed on any flat surface

Pricing by quote



FIREBOZZ MINI

1 1/2-INCH LARGE FIRE SPRINKLER



\$895.00

Picture taken at Topanga Canyon installation. Three sprinkler system.

RAIN TOWER



- Standard garden hose thread
- 50-foot 3/4-inch mop up hose
- 100-foot circle coverage
- Variable gallon per minute output
- Choice of sprinkler head
- Sandbag included for stability
- Easy to store and setup

\$425.00

FIRE HOSE, ADAPTORS, DAVES HYDRANT



1 1/2-inch single jacket fire hose

- California-made
- NH/NST threads
- Compatible with all fire agencies

\$155.00 **50-foot**
\$195.00 **75-foot**
\$255.00 **100-foot**



1 1/2-inch Wildland fire hose

- USA-made single jacket fire hose
- NH/NST threads
- Compatible with all fire agencies
- Designed for extreme water pressure
- 100-foot length

\$275.00



1-inch single jacket fire hose

- California-made
- NH/NST threads
- Compatible with all fire agencies

\$160.00 **50-foot**
\$255.00 **100-foot**



Adaptors and Fittings

- Various aluminum and brass fittings in stock.
- Prices start at \$27.00
- 1-inch
- 1 1/2-inch
- 2-inch
- 2 1/2-inch
- NPT, NH/NST/NPSH



1 1/2-inch Dave's Hydrant

- Custom home fire hydrant
- Stainless steel valve and fittings
- 1 1/2-inch fire hydrant threads
- Gated wye valve (1" or 1 1/2")
- 200-feet of fire hose
- Aluminum brush nozzles - 10/30 gpm or 20/60 gpm

Starting at \$1,225.00



Fire Truck 1.0 in Calistoga, California



BRUSHFIRE BATTLE SYSTEMS

Contact us at (626) 410-7101. Email: info@brushfirebattlesystems.com
Most products in stock for immediate delivery. Call today for a demonstration.

CUSTOM WILDFIRE DEFENSE EQUIPMENT

AUTONOMOUS AND MANUAL FIRE DEFENSE SYSTEMS FOR YOUR HOME

Brushfire designs and installs custom exterior fire defense systems for your home. We offer manually operated, triggered with sensors, or triggered with a text message systems. Portable or mounted to structures, protect your home and property.



Thousand Oaks - 2 fire sprinklers
Long-run gas fire pump



San Juan Capistrano - 2 fire
sprinklers - electric remote



Lake Malibu - 5 fire sprinklers
Propane-powered fire pump



Fully Autonomous
wildfire defense systems.



CUSTOM WILDFIRE DEFENSE EQUIPMENT